

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S3	1	wo00/55963.ptpn.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/14 10:23
S4	9424	power adj supply adj device	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/11 09:24
S5	140	S4 and "318"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/11 08:46
S6	1	S5 and (break\$3 adj resistor)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/16 10:03
S7	500873	power adj supply	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/11 09:25
S8	102679	"318"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/11 09:25
S9	12950	S7 and S8	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/11 09:25
S12	12950	S8 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/11 09:30
S13	158	S12 and (inrush adj current)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/11 10:08
S14	15	"4651077".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/11 10:20
S15	1	"4651077".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/11 10:09
S16	8	"5436540".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/11 10:22

S17	14772	"323"/\$.uref.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/11 10:23
S18	490	S8 and S17	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/11 10:23
S19	256	S18 and (power adj supply)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/11 10:23
S20	12	S19 and ((in\$1rush adj current)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/11 10:27
S22	7	(power adj3 supply).ab. and (dynamic adj3 break\$3) and (((in\$1rush over\$2) adj3 current)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/11 10:39
S23	1	(power adj3 supply) and (dynamic adj7 break\$3).ab. and (((in\$1rush over\$2) adj3 current).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/11 10:40
S24	1	(power adj3 supply) and (dynamic adj7 break\$3).ab. and (((in\$1rush over\$2) adj3 current)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/11 10:40
S26	27	(power adj3 supply) and (dynamic adj7 break\$3) and (((in\$1rush over\$2) adj3 current)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 21:14
S27	10	"5241255"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/11 11:14
S28	9	"5241255".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/11 11:19
S29	232	323/908.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/11 11:36
S31	360	318/375.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/11 11:36

S32	109	S31 and (power adj3 supply)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/11 11:52
S43	440	motor and dynamic and braking and inverter and rectifier	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/11 12:08
S54	58	youm.in.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/11 15:58
S58	1399	318/139.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/11 18:20
S59	369	S58 and (power adj supply)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/11 17:20
S61	20	(dynamic adj3 retarder)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/11 18:36
S64	420	damper adj winding	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/14 12:42

S65	46	(US-20030146726-\$ or US-20030222609-\$ or US-20040056616-\$ or US-20040090200-\$ or US-20040119432-\$ or US-20040160208-\$ or US-20040178759-\$ or US-20040222754-\$ or US-20040227479-\$).did. or (US-3991352-\$ or US-4093900-\$ or US-4234834-\$ or US-4651077-\$ or US-4723099-\$ or US-5206573-\$ or US-5225751-\$ or US-5241255-\$ or US-5291106-\$ or US-5406186-\$ or US-5428967-\$ or US-5471125-\$ or US-5557181-\$ or US-5563479-\$ or US-5652825-\$ or US-5731681-\$ or US-5814956-\$ or US-5838144-\$ or US-5847530-\$ or US-5866964-\$ or US-5877601-\$ or US-5994869-\$ or US-6166513-\$ or US-6268707-\$ or US-6288510-\$ or US-6331365-\$). did. or (US-6333611-\$ or US-6373207-\$ or US-6426885-\$ or US-6442979-\$ or US-6657408-\$ or US-6724169-\$ or US-6774590-\$ or US-6795287-\$ or US-6838839-\$ or US-6844707-\$).did. or (JP-2004208492-\$).did.	US-PGPUB; USPAT; JPO	OR	ON	2005/02/15 10:58
S69	46	(over adj3 voltage) and 318/801. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 12:12
S70	1425	318/801.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 12:17
S71	102695	"318"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 12:18
S72	337	(inrush adj3 current) and S71	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 12:18
S73	93	S72 and (dynamic brak\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 12:19
S74	34	(dynamic adj3 break\$3 adj3 circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 12:32

S76	102407	(terminal adj3 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 12:39
S77	5089	S76 and S71	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 12:39
S79	2791	S76 and (break\$3 adj3 (resistor or switch or circuit or capacitor))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 12:43
S80	217	S79 and "318"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 12:44
S81	211	S80 and @pd < "20031231"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 12:56
S82	339	318/362.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 12:56
S84	711	318/727.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 12:58
S85	1	S84 and S81	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 12:58
S86	20566467	@pd < "20031230"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 12:59
S87	660	S84 and S86	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 13:05
S88	4	S87 and (over adj voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 13:07
S89	32	S87 and (voltage and protection)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 13:12

S90	833	318/376.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 13:12
S91	811	S86 and S90	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 13:12
S92	45	S91 and (voltage and protection)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 13:15
S93	3	S91 and (voltage adj3 protection)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 13:17
S94	508	318/812.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 13:16
S95	490	S94 and S86	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 13:17
S96	7	S95 and (voltage adj3 protection)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 13:20
S97	8	S95 and (inrush adj3 current)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 13:19
S98	360	318/375.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 13:20
S99	345	S86 and S98	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 13:20
S100	5	S99 and (voltage adj3 protection)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 13:21
S101	20027	((current adj3 limit\$3) or (over adj3 voltage with protect\$3)) with resistor) and diode	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 14:19

S10 2	1202	S101 and "318"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 14:22
S10 3	9	S102 and (break\$3 adj3 resistor)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 14:20
S10 5	1156	S102 and S86	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 14:30
S10 6	1156	S105 and "318"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 14:31
S10 7	484	S106 and relay	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 14:31
S10 8	102	S107 and (diode adj5 series)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 15:35
S10 9	2412	over adj3 voltage adj3 protect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 15:38
S11 0	61	S109 and "318"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 15:38
S11 1	47	S110 and S86	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 15:39
S11 2	1	"5291106".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 20:24
S11 3	1319	(brak\$3 adj resistor)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 21:12
S11 4	673	S113 and "318"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 21:12

S11 5	20566467	@pd < "20031230"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 21:13
S11 6	659	S115 and S114	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 21:21
S11 7	14	S116 and(power adj3 supply) and (dynamic adj7 brak\$3) and ((in\$1rush over\$2) adj3 current)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/15 21:14
S11 8	9426	power adj supply adj device	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/16 10:03
S11 9	140	S118 and "318"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/16 10:03
S12 0	6	S119 and (brak\$3 adj resistor)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/16 10:39
S12 1	341	318/757.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/16 10:53
S12 2	14	S121 and (brak\$3 adj3 resistor)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/16 10:39
S12 3	256	318/759.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/16 11:20
S12 4	241	318/779.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/16 12:29
S12 7	360	318/375.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/16 12:36
S12 8	107	S127 and relay	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/16 12:50

S12 9	8	S127 and encoder	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/16 12:53
S13 0	1	S127 and (encoder with angle with speed)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/16 12:54
S13 1	883	(encoder with angle with speed)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/16 14:53
S13 2	133	S131 and "318"/\$.cccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/16 14:54
S13 3	46	S132 and (power adj3 supply)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/16 12:54
S13 4	885	(encoder\$2 with angle\$2 with speed\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/16 14:54
S13 5	133	S134 and "318"/\$.cccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/16 15:21
S13 7	1	(inrush\$current and prevent) with DC	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/16 16:11
S13 8	1	(inrush\$2current and prevent) with DC	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/16 16:11
S13 9	57	(inrush adj current and prevent) with DC	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/16 16:11
S14 0	1399	318/139.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/17 13:18
S14 1	55	S140 and (dynamic adj3 brak\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/17 13:18

S14 2	134	(brak\$3 adj3 resistor) and (over adj3 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/17 13:19
S14 3	46	(US-20030146726-\$ or US-20030222609-\$ or US-20040056616-\$ or US-20040090200-\$ or US-20040119432-\$ or US-20040160208-\$ or US-20040178759-\$ or US-20040222754-\$ or US-20040227479-\$).did. or (US-3991352-\$ or US-4093900-\$ or US-4234834-\$ or US-4651077-\$ or US-4723099-\$ or US-5206573-\$ or US-5225751-\$ or US-5241255-\$ or US-5291106-\$ or US-5406186-\$ or US-5428967-\$ or US-5471125-\$ or US-5557181-\$ or US-5563479-\$ or US-5652825-\$ or US-5731681-\$ or US-5814956-\$ or US-5838144-\$ or US-5847530-\$ or US-5866964-\$ or US-5877601-\$ or US-5994869-\$ or US-6166513-\$ or US-6268707-\$ or US-6288510-\$ or US-6331365-\$). did. or (US-6333611-\$ or US-6373207-\$ or US-6426885-\$ or US-6442979-\$ or US-6657408-\$ or US-6724169-\$ or US-6774590-\$ or US-6795287-\$ or US-6838839-\$ or US-6844707-\$).did. or (JP-2004208492-\$).did.	US-PGPUB; USPAT; USOCR; JPO	OR	ON	2005/02/17 13:20
S14 4	0	S143 and (brak\$3 adj3 resistor) and (over adj3 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/17 13:20
S14 5	8	(dynamic adj3 brak\$3 adj3 circuit) and (voltage adj protection)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/02/17 13:21